

[www.to7af.com](http://www.to7af.com)

.....

.....

..... Diarrhea in children

..... Chickenpox (     /     /     )

..... Pertussis whooping cough (     )

..... Roseola infantum

..... Hand-foot-mouth disease

..... Scarlet Fever

..... Measles

.....

..... Tetanus (     )

.....

.....

.....







!!!

!!

\_\_\_\_\_

:

:



( )

## Diarrhea in children

.( )

Food Poisoning

ampicillin

Antibiotic- "

"

. associated diarrhea

\_\_\_\_\_

:

:

Rotavirus or Adenovirus : \_\_\_\_\_

watery winter diarrhea".

:

\_\_\_\_\_

Entamoeba histolytica.

Giardia

:

Salmonella

:


Giardia



Shigella

\*

Giardia



≤

.( )


"

"

-

Oral Rehydration Solution " ORS ".

:



— ORS

Salmonella

– %

**Chickenpox ( / / )**

‘ Varicella – Zoster



39

( )

"

"



" "

-  
-  
-  
-



( )

---

-

\*  
\*  
\*  
\*  
\*  
\*  
\*  
\*

B

b

NEOMYCIN

**Pertussis whooping cough (      )**







## **Roseola infantum**

Human Herpes Virus.

\_\_\_\_\_

\_\_\_\_\_



\_\_\_\_\_ .%

( )

## Hand-foot-mouth disease


( )

( )

## Scarlet Fever

.( )

## Streptococcus Haemolyticus Group (A). ( )



( )



( )

( )

:

-

-

-

)

.(

:


( )

white strawberry tongue



. red strawberry tongue

( )



( )

:

.( )

(Antistreptolysin Titre)

.( )



(Delayed)

autoimmune diseases

:

%

:

:

( )

Smoky

% ,

:

:

( ) ( )

( )



)

( )

(

( )

( )



**Measles**

Measles

RNA

Paramyxoviruses

( )

## Clinical Features

:

( )

: Prodromal Phase

(

### Prodromal Symptoms

:

.Cough ( ) -

.Coryza ( ) -

.Conjunctivitis -

.Fever -

.Anorexia -

Spots Koplik's

( )

( )



Bronchiolitis

.Croup

Viral Pneumonitis (

)

: Eruptive Phase

(

( )

Maculopapular

.Erythematous



. Confluent Blotchy Areas



Post-Measles

.Staining



( )  
Bacterial Pneumonia  
( )  
Encephalomyelitis  
Hepatitis  
Myocarditis  
Subacute Sclerosing Pan-Encephalitis  
Mal-Nutrition  
( ) Herpes Simplex Virus  
"



## Atypical Measles ( )

( )

Killed Measles Vaccine ( )

.Wild Measles Virus ( )

Myalgia

Vesicular

.Urticarial

Haemorrhagic

.Live Measles Vaccine

( )

Antibiotics

Vaccination ( ) Active Immunization  
Measles Mumps Rubella "MMR" Vaccine  
.Rubella Mumps

MMR

MMR

Passive Immunization

Immunoglobulins

.Premature Labour

**German measles**





( . . )



:

.

.

.

.

.

:

%



:

:

۲



:



:

:

:

:

:





## Tetanus ( )

spores.

% -

‘)

(

antigens ( ) ( ).



.( )

## Poliovirys



( )

( )

( )

( )

)

.(



:



( )

: ( )

-

-

( )

-

-  
( )

-  
-  
-

•  
•  
•

•  
•  
•

•

•  
•  
•  
•  
•  
•

( )



- -

( )

.

.

( )

.

.

.

(G PD)

" "


G PD

(G PD)

- -

(Favism)

( )



:

.

( )

-

(

)

-

.

.

.

.

(Mediterranean variant)

:( )

( )

-

.

-

.

:

:

\*

\*

\*

\*

.

\*

\*

\*

:

: .

: .



:

\*

:

\*

)

\*

(

)

\*

(

(

)

\*

( )	!Acetacolamid
= Aspirin	+ Acetylsalicylicacid

	+ C h i n i n
	Aminophenazone (Aminopyrine) +
	!Chloramphenicol
	*Chloroquine
	*Ciprofloxacin
	!Co-trimoxazole
	!Dimercaprol
	!Dapson
	Dopamine (L - D o p a) +
	!Doxorubicin
	*Hydroxychloroquine
	+Lysinacetylsalicyl at
	*Mefloquine
	+Mesalazine
	!Mepacrine (Quinacrine)
	!Metamizol
	!Naphthaline
	!Nitrofurantoin
	!Nitrofur al (Nitrofurazone)
	+Para-Aminosalicylic acid
	!Pamaquine
	!Pentaquine
	!Phenacetin
مسكنات	*Phenazone

	<b>+ Phytomenadione = Vit. K<sup>1</sup></b>
	<b>! Primaquine</b>
	Probenecid+
	<b>* Procaïnamid</b>
	<b>* Propyphenazon</b>
	<b>* Quinidine</b>
	<b>* Quinine</b>
	<b>! Sulfacetamide</b>
	<b>! Sulfadimidine</b>
	<b>! Sulfafurazole</b>
	<b>* Sulfadiazine</b>
	<b>! Sulfamerazine</b>
	<b>! Sulfamethoxzole</b>
	<b>! Sulfanilamide</b>
	<b>! Sulfapyridine</b>
	<b>* Sulfasalazine</b>
	<b>* Sultiam</b>
	<b>! Thiazosulfone</b>
	<b>* Tolonium Chloride</b>
	Vitamin C + (Ascorbic Acid)
	Vitamin K + (see Phytomenadione)





)

.(

)

Freedom Shampoo).





sehha.com

-

.

-

.

-

.

-

.

-

.

-

.

-

.

-

